

POWER PRESS - IIMC POWER PRESS



Special Features

"C" TYPE POWER PRESS

[illegible]

HOLE IN RAM	19	25	25	25	25	25	32	32	32	38
HOLE IN BED	51	63	75	6	76	76	89	89	89	102
L X W OF BED	255x152	305x178	356x203	356x203	356x203	406x254	457x305	457x305	508x355	508x355
DIST. BED TO RAM	152	152	175	180	205	205	205	230	254	266
STORKE / MIN	-	-	-	-	-	-	-	-	-	-
D. GEAR (SPM)	-	-	-	-	-	-	-	50	50	40
S. GEAR (SPM)	90	80	80	80	80	80	75	60	60	55
UN GEAR (SPM)	165	150	150	130	130	130	120	120	120	115
H.P / RPM (UG)	0.5/960	0.5/960	0.5/960	1/960	1/960	1/960	1.5/960	2/960	2/960	3/960
H.P / RPM (G)	0.5/1440	0.5/1440	0.5/1440	1/1440	1/1440	1/1440	1.5/1440	2/1440	2/1440	3/1440
FLOOR TO TOP OF BED	520	690	690	730	718	730	740	815	844	815
WT. kg. APROX	200	300	350	450	475	525	700	900	1050	1100

TON CAP	30	50	60	75	85	100	150	200	250
CRK DIA	83	95	101	115	115	127	152	158	165
STR. AD	13 - 89	13 - 76	13 - 80	13 - 102	13 - 102	13 - 115	13 - 127	13 - 152	13 - 165
SLIDE ADJ.	25	40	40	50	50	60	60	70	70
HOLE IN RAM	38	51	51	51	51	55	55	63	63
HOLE IN BED	102	127	127	178	178	191	203	216	216
L X W OF BED	559x406	660x406	711x508	711x508	760x595	813x558	914x610	965x660	1067x711
DIST. BED TO RAM	305	290	320	330	350	381	410	432	485
STORKE / MIN	-	-	-	-	-	-	-	-	-
D. GEAR (SPM)	40	30	-	-	-	-	-	-	-
S. GEAR (SPM)	55	50	50	40	40	30	30	30	30
UN GEAR (SPM)	115	90	-	-	-	-	-	-	-
H.P / RPM (UG)	3/960	5/960	-	-	-	-	-	-	-
H.P / RPM (G)	3/1440	3/1440	5/1440	7.5/1440	7.5/1440	10/1440	15/1440	20/1440	25/1440

FLOOR TO TOP OF BED	856	856	900	900	915	915	915	915	915
WT. kg. APROX	1435	2350	2700	3500	4050	5000	6000	9500	11500

PILLER TYPE POWER PRESS

TON CAP	20	20	30	30	50	75	100	150	200	250
CRK DIA	76	76	83	83	95	114	127	152	158	165
STR. AD	13-15	13-76	13-63	13-89	13-76	13-102	13-115	13-127	13-152	13-165
SLIDE ADJ.	25	25	25	25	40	50	60	60	70	70
HOLE IN RAM	32	32	38	38	51	51	55	55	63	63
HOLE IN BED	89	89	102	102	127	178	191	203	216	216
L X W OF BED	406x508	406x508	457x556	475x556	508x610	610x762	660x813	711x914	762x965	812x1016
DIST. BED TO RAM	230	255	266	305	290	330	381	410	432	485
STORKE / MIN	-	-	-	-	-	-	-	-	-	-
D. GEAR (SPM)	50	50	40	40	30	-	-	-	-	-
S. GEAR (SPM)	60	60	55	55	50	40	30	30	30	30
UN GEAR (SPM)	120	120	115	45	-	-	-	-	-	-
H.P / RPM (UG)	2/960	2/960	3/960	3/960	-	-	-	-	-	-
H.P / RPM (G)	2/1440	2/1440	3/1440	3/1440	5/1440	7.5/1440	10/1440	15/1440	20/1440	25/1440
FLOOR TO TOP OF BED	815	815	815	815	900	915	915	915	915	915
WT. kg. APROX	800	1050	1000	1300	2000	3100	4600	5650	9000	11500

Standard Accessories

Optional Accessories



INDIA INTERNATIONAL MARKETING COMPANY

B - 73, PHASE - 1, MAYAPURI INDUSTRIAL AREA (BEHIND POLICE STATION), NEW DELHI - 110 064, INDIA

MOBILE : +91-9810112341, PHONE : +91-11-28117865, +91-11-30583633, FAX : +91-11-28117867

Email : iimc@vsnl.net, iimc.machines@gmail.com

Website : www.iimc-india.com, www.indiamart.com/indiainternational