



INDIA INTERNATIONAL MARKETING COMPANY



METAL CUTTING BANDSAW & HACKSAW MACHINES - LAXSON SEMIAUTOMATIC (DC)



STANDARD FEATURES :-

- Relay logic control panel for all electric & hydraulic functions
- Automatic work height control & fast approach
- Power driven Chip removal Wire Brush Assembly
- Hydraulic Blade tension
- Split main vise for better gripping
- Idler Wheel Motion Detector with Blade Stalling & Breakage shut off
- Roller Bearing / Carbide wear pad Blade guide system

■ M-42 Bi Metal Bandsaw Blade

SPECIFICATIONS

Model		LK-211 DC	LK-301 DC	LK-421 DC	LK-531 DC	LK-651 DC	LK-801 DC	LK-1001 DC	LK-1251 DC	LK-1500 DC
CUTTING CAPATICY mm Round & Square		210	310	421	531	651	801	1001	1251	1100 x 1500
Blade Dimensions mm		3760 x 27 x 0.9	4100 x 34 x 1.1	5450 x 41 x 1.3	6900 x 54 x 1.6	8000 x 67 x 1.6	8800 x 67 x 1.6	12300 x 80 x 1.6	13200 x 80 x 1.6	13200 x 80 x 1.6
Blade Speed mtr / min		20-30- 40-50- 75	20-30- 40-50- 75	20-30- 40-50- 75	20-30- 40-50- 75	20-30- 40-50- 75	20-30- 40-50- 75	20-30- 40-50-75	20-30- 40-50-75	20-30-40- 50-75
Power Req. Kw/h.p. 440 V AC, 50 Hz 3 Phase	Saw Drive Hydraulic Drive Coolant Pump	1.5 / 2.0	2.2 / 3.0	3.7 / 5.0	5.5 / 7.5	7.5 / 10	9.3 / 12.5	9.3 / 12.5	9.3 / 12.5	9.3 / 12.5
		1440 RPM	1440 RPM	1000 RPM	1000 RPM	1000 RPM	1000 RPM	1000 RPM	1000 RPM	1000 RPM
		0.75 / 1.0	0.75 / 1.0	0.75 / 1.0	0.75 / 1.0	0.75 / 1.0	0.75 / 1.0	0.75 / 1.0	0.75 / 1.0	0.75 / 1.0
		1440 RPM	1440 RPM	1440 RPM	1440 RPM	1440 RPM	1440 RPM	1440 RPM	1440 RPM	1440 RPM
		0.12 / 0.16	0.12 / 0.16	0.12 / 0.16	0.12 / 0.16	0.12 / 0.16	0.12 / 0.16	0.12 / 0.16	0.12 / 0.16	0.12 / 0.16
Hyd. Tank ltr		80	80	80	80	100	100	100	100	100
Coolant Tank ltr		80	80	80	80	100	100	100	100	100
Apx. Dimensions		2 x 1 x 1.3	2.3 x 1 x 1.3	2.5 x 1 x 1.7	3.3 x 1.4 x 2.3	4.0 x 1.5 x 2.5	4.6 x 1.7 x 2.9	5.0 x 1.9 x 3.5	5.0 x 2.0 x 4.0	6.0 x 2.0 x 4.0
Approx. Weight Kg		1200	1500	1800	3500	5000	6000	12000	14000	15000
Bunddle Cutting W		150 to 210	150 to 300	150 to 421						
Optional) mm H		30 to 150	30 to 150	30 to 220						

NOTE : For bigger capacity machine than above machine models please contact us.

STANDARD ACCESSORIES :-

- Relay logic control panel for all electric & hydraulic functions
- Automatic work height control & fast approach
- Power driven Chip removal Wire Brush Assembly
- Hydraulic Blade tension
- Split main vise for better gripping
- Idler Wheel Motion Detector with Blade Stalling & Breakage shut off
- Roller Bearing / Carbide wear pad Blade guide system
- M-42 Bi Metal Bandsaw Blade

Optional Accessories :-

- Chip Conveyor
- A.C. Drive for Infinitely variable speed control
- Bundle cutting attachment
- Job Roller Stand
- Variable Vise pressure for thin walled job
- Wire Brush



INDIA INTERNATIONAL MARKETING COMPANY

B - 73, PHASE - 1, MAYAPURI INDUSTRIAL AREA (BEHIND POLICE STATION), NEW DELHI - 110 064, INDIA

MOBILE : +91-9810112341, PHONE : +91-11-28117865, +91-11-30583633, FAX : +91-11-28117867

Email : iimc@vsnl.net, iimc.machines@gmail.com

Website : www.iimc-india.com, www.indiamart.com/indiainternational